SEQUENCE LISTING

- <110> Carlsberg Research Center
- <120> AFFINITY FISHING FOR LIGANDS AND PROTEIN RECEPTORS
- <130> P 782 PC00
- <160> 52
- <170> PatentIn version 3.1
- <210> 1
- <211> 6
- <212> PRT
- <213> Artificial Sequence
- <220>
- <223> Peptide Spacer
- <400> 1
- Gly Pro Pro Phe Pro Phe
- <210> 2
- <211> 7
- <212> PRT
- <213> Artificial Sequence
- <220>
- <223> Peptide Spacer
- <400> 2
- Ala Pro Arg Pro Pro Arg Ala 5
- <210> 3
- <211> 6
- <212> PRT <213> Artificial Sequence
- <223> Binding ligand from peptide library
- <220>
- <221> MISC_FEATURE
- <222> (1)..(1) <223> Xaa is Pip
- <220>
- <221> MISC_FEATURE
- <222> (2)..(3) <223> Xaa is Pal

2/23

```
WO 2004/062553
```

```
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Pip
<400> 3
Xaa Xaa Xaa Phe Xaa Xaa
<210> 4
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa is Hyp
<220>
<221> MISC_FEATURE
<222>
      (5)..(5)
<223> Xaa is Acm
<400> 4
Xaa Xaa Xaa Phe Xaa Tyr
<210> 5
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
```

```
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Gua
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Pip
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is Acc
<220>
<221> MISC_FEATURE <222> (6)..(6)
<223> Xaa is Pip
<400> 5
Xaa Xaa Xaa Phe Xaa
<210> 6
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Aze
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Aze
<400> 6
```

Phe Xaa Gly His Gly Xaa

```
5
<210> 7
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is Pip
<400> 7
Phe Thr Xaa Xaa Asp His
<210> 8
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Ppy
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Acc
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is Ppy
<220>
<221> MISC_FEATURE
<222>
      (6)..(6)
<223> Xaa is Hpy
```

```
<400> 8
Phe Xaa Xaa Ala Xaa Xaa
<210> 9
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Pal
<220>
<221> MISC_FEATURE <222> (4)..(4)
<223> Xaa is Hyp
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Hyp
<400> 9
Phe Xaa Xaa Xaa Thr Xaa
                 5
<210> 10
<211> 6
<212> PRT
```

<213> Artificial Sequence

<221> MISC_FEATURE <222> (2)..(2) <223> Xaa is Gua

<223> Binding ligand from peptide library

<220>

<220>

```
<220>
  <221> MISC_FEATURE
  <222> (3)..(3)
<223> Xaa is Pal
  <220>
 <221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is Gua
  <400> 10
  Phe Xaa Xaa Tyr Xaa Tyr
  1 5
  <210> 11
  <211> 6
  <212> PRT
  <213> Artificial Sequence
 <220>
  <223> Peptide
 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Pal
 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Abi
. <220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa is Abi
 <400> 11
 Xaa Xaa Gly Gly Xaa His
 <210> 12
 <211> 6
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Binding ligand from peptide library
```

```
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222> (3)..(4)
<223> Xaa is Hyp
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is unknown
<400> 12.
Xaa Thr Xaa Xaa His Xaa
<210> 13
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Gua
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is Abr
<400> 13
```

Xaa Xaa Xaa Asp Xaa Tyr

```
1
                5
<210> 14
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222>
      (5)..(5)
<223> Xaa is Che
<400> 14
Xaa Phe Xaa Phe Xaa Tyr
<210> 15
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 15
Xaa Phe Asn His Ser
<210> 16
<211> 5
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
     (1)..(1)
<223> Xaa is T(Sa)
<400> 16
Xaa Phe Ala Leu Val
<210> 17
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 17
Xaa Phe Gly Ile Trp
<210> 18
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 18
Xaa Phe Gly Ile Met
<210> 19
<211> 5
<212> PRT
```

```
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 19
Xaa Gly Val Phe Leu
<210> 20
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 20
Xaa Tyr Ser Met Pro
<210> 21
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 21
Xaa Leu Ser Trp Trp
<210> 22
<211> 5
```



```
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 22
Xaa His Trp His Ile
<210> 23
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 23
Xaa His Trp Val Val
<210> 24
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 24
Xaa His Leu Gly Tyr
```

<210> 25

12/23

```
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 25
Xaa Ile Tyr Leu Phe
<210> 26
<211> 5
<212> PRT
<213
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 26
Xaa Phe Gly Leu Met
<210> 27
<211> 5
<212> PRT
<213> Artificial Sequence
<220> '
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 27
Xaa Trp Val Asn Met
```

```
<210> 28
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 28
Xaa Met Val Asn Trp
<210> 29
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 29
Xaa His Ile Gly Tyr
<210> 30
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 30
Xaa Leu Tyr Leu Phe
1
```

```
<210> 31
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 31
Xaa His Trp His Leu
<210> 32
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 32
Xaa Phe Val Trp His
<210> 33
<211>
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 33
Xaa Leu Tyr Ile Phe
```

```
<210> 34
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is ManS
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is ManS
<400> 34
Xaa Gly Xaa Asp Asn Ala
<210> 35
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is ManS
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is GlcNN
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is ManS
<400> 35
Xaa Gly Xaa Asn Xaa Tyr
               5
```



```
<210> 36
<211>
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is ManN
<400> 36
Xaa Phe Trp Ser Lys His
              5
<210> 37
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is GlcNN
<400> 37
Xaa Trp Phe Asp Trp Pro
               5
<210> 38
<211>
      6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is GlcNN
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Xaa is GlcNN
```

```
<220>
<221> MISC_FEATURE
<222>
      (5)..(5)
<223> Xaa is ManS
<400> 38
Xaa Val Xaa His Xaa Gly
<210> 39
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is ManN
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is ManS
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Xaa is ManN
<400> 39
Xaa Xaa Xaa Trp Ser Trp
               5
<210> 40
<211>
      6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<400> 40
Gly Pro Lys Lys Tyr His
```



```
<210> 41
<211>
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<400> 41
His Thr Trp Gly Tyr Trp
               5
<210> 44
<211> 6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<400> 44
Gly Pro Lys Lys Tyr His
<210> 45
<211> 6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<400> 45
His Thr Trp Gly Tyr Trp
<210> 46
<211>
     6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
```

<400> 46



```
<210> 41
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<400> 41
His Thr Trp Gly Tyr Trp
               5
<210> 44
<211> 6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<400> 44
Gly Pro Lys Lys Tyr His
<210> 45
<211> 6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<400> 45
His Thr Trp Gly Tyr Trp
<210> 46
<211> 6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<400> 46
```



```
Phe Thr Tyr Phe Ala Lys
<210> 57
<211> 6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Hyp
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Gua
<400> 57
Lys Met Xaa Trp Tyr Xaa
<210> 58
<211> 6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is Gua
<220>
<221> MISC_FEATURE <222> (6)..(6)
<223> Xaa is Gua
<400> 58
```

Phe Asp Trp Xaa Thr Xaa



```
<210> 59
<211> 5
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 59
Xaa Tyr Gly Ala Met
<210> 60
<211> 5
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 60
Xaa Ser Val Trp Phe
<210> 61
<211> 5
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (1)..(1)
```



```
<223> Xaa is T(Sa)
```

<400> 61

Xaa His Tyr Phe Phe 5

<210> 62

<211> 5

<212> PRT

<213> Artificial

<220>

<221> MISC_FEATURE

<223> Binding ligand

<220>

<221> MISC_FEATURE <222> (1)..(1) <223> Xaa is T(Sa)

<400> 62

Xaa Ile Tyr Tyr Phe

<210> 63 <211> 5 <212> PRT

<213> Artificial

<220>

<221> MISC_FEATURE <223> Binding ligand

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is T(Sa)

<400> 63

Xaa Gln Pro Gly Met

<210> 64

<211> 5

<212> PRT

<213> Artificial

<220>



<221> <223>	MISC_FEATURE Binding ligand
<220>	
<221>	MISC_FEATURE
<222>	(1)(1)
<223>	Xaa is T(Sa)
<400> 64	
Xaa Gl	y Pro His Gly 5

1

1